



according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Captain Green Stone Cleaner

7509-4TQV-XVJG-SR63

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

1.3. Details of the supplier of the safety data sheet

Manufacturer

GHZ Matra AG Company name: Max-Volmer-Str. 14 Street: D-40724 Hilden Place:

Telephone: +49 (0) 2103 3959 - 0 Telefax: +49 (0) 2103 3959 - 40

info@ghz-matra.de e-mail: Contact person: Division: Sales Info@GHZ-Matra.de e-mail: Internet: www.ghz-matra.de

Supplier

Company name: QUALIUK LTD

Street: 235-237 Vauxhall Bridge Road

Place: GB-SW1V 1EJ London 1.4. Emergency telephone

number:

+49 (0) 551 / 19240 (24h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Warning Signal word:

Pictograms:



Hazard statements

H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P264 Wash hands thoroughly after handling.

P280 Wear protective gloves and eye/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.



according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 2 of 12

Special labelling of certain mixtures

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-

2H-isothiazol-3-one (3:1). May produce an allergic reaction.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Endocrine disrupting properties: none

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

in aqueous solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
68515-73-1	CAPRYLYL/CAPRYL GLUCOSIDE			1 - < 5 %
	500-220-1		01-2119488530-36	
	Eye Dam. 1; H318	•	•	
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			1 - < 5 %
	307-055-2		01-2119489924-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam	ı. 1, Aquatic Chronic 3; H302 H315 H	1318 H412	
78-93-3	butanone; ethyl methyl ketone			< 0.1 %
	201-159-0	606-002-00-3	01-2119488530-36	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066			
55965-84-9	reaction mass of 5-chloro-2-methyl	-2H-isothiazol-3-one and 2-methyl-2h	H-isothiazol-3-one (3:1)	< 0.1 %
	-	613-167-00-5		
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name				
	Specific Conc. Limits, M-factors and ATE					
97489-15-1	307-055-2	Sulfonic acids, C14-17-sec-alkane, sodium salts	1 - < 5 %			
	oral: ATE = 5 Irrit. 2; H319:	00 mg/kg Skin Irrit. 2; H315: >= 10 - 100 Eye Dam. 1; H318: >= 15 - 100 Eye >= 10 - < 15				
78-93-3	201-159-0	butanone; ethyl methyl ketone	< 0.1 %			
	inhalation: LC50 = 23,5 mg/l (vapours); dermal: LD50 = 6400 mg/kg; oral: LD50 = 4000 mg/kg					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)					
	inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = 0,33 mg/l (dusts or mists); dermal: LD50 = 87,12 mg/kg; oral: LD50 = 64 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100					

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % anionic surfactants, perfumes (Linalool), preservation agents (Methylchloroisothiazolinone/methylisothiazolinone).





according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 3 of 12

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If experiencing respiratory symptoms: Call a doctor.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person or a person with cramps. Get medical help if you feel unwell

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

ABC-powder

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

Non-flammable.

In case of fire may be liberated: Pyrolysis products, toxic.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Evacuate area.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up



according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 4 of 12

For containment

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep only in the original container in a cool, well-ventilated place.

Hints on joint storage

Do not store together with: Strong acid. Strong alkali. Oxidising agent.

Do not store together with: Food and feedingstuffs.

Further information on storage conditions

Recommended storage temperature: 5 - 30 °C Keep away from heat. Protect from direct sunlight.

7.3. Specific end use(s)

Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 μmol/L	urine	Post shift





according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 5 of 12

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
68515-73-1	CAPRYLYL/CAPRYL GLUCOSIDE			
Worker DNEL,	long-term	dermal	systemic	595000 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	420 mg/m³
Consumer DNI	EL, long-term	oral	systemic	35,7 mg/kg bw/day
Consumer DNI	EL, long-term	dermal	systemic	357000 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	124 mg/m³
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts	3		
Worker DNEL,	long-term	dermal	systemic	-10 - 20 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	20 - 50 mg/m³
Consumer DNI	EL, long-term	oral	systemic	-7,9 - 22,1 mg/kg bw/day
Consumer DNI	EL, long-term	dermal	systemic	-11,43 - 18,57 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	-2,6 - 27,4 mg/m³
64-17-5	ethanol, ethyl alcohol			
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Worker DNEL,	acute	inhalation	local	1900 mg/m³
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	114 mg/m³
Consumer DNI	EL, acute	inhalation	local	950 mg/m³
Consumer DNI	EL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DNI	EL, acute	oral	systemic	87 mg/kg bw/day
78-93-3	butanone; ethyl methyl ketone			
Worker DNEL,	long-term	dermal	systemic	1161 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	600 mg/m³
Consumer DNEL, long-term		oral	systemic	31 mg/kg bw/day
Consumer DNI	EL, long-term	dermal	systemic	412 mg/kg bw/day
Consumer DNI	EL, long-term	inhalation	systemic	106 mg/m³



according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 6 of 12

PNEC values

CAS No	Substance	
Environment	al compartment	Value
68515-73-1	CAPRYLYL/CAPRYL GLUCOSIDE	
Freshwater	•	0,176 mg/l
Marine water		0,018 mg/l
Freshwater s	ediment	1,516 mg/kg
Marine sedim	nent	0,152 mg/kg
Secondary p	oisoning	111,11 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	560 mg/l
Soil		0,654 mg/kg
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts	·
Freshwater		-14,96 - 15,04 mg/l
Marine water		-15 - 15 mg/l
Freshwater s	ediment	-5,6 - 24,4 mg/kg
Marine sediment		-14,06 - 15,94 mg/kg
Secondary p	oisoning	38,3 - 68,3 mg/l
Micro-organisms in sewage treatment plants (STP)		585 - 615 mg/l
Soil		-5,6 - 24,4 mg/kg
64-17-5	ethanol, ethyl alcohol	
Freshwater		0,96 mg/l
Marine water		0,79 mg/l
Freshwater s	ediment	3,6 mg/kg
Marine sedim	nent	2,9 mg/kg
Secondary p	oisoning	0,72 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	580 mg/l
Soil		0,63 mg/kg
78-93-3	butanone; ethyl methyl ketone	
Freshwater		55,8 mg/l
Marine water		55,8 mg/l
Freshwater sediment		284,74 mg/kg
Marine sedim	nent	284,7 mg/kg
Secondary p	oisoning	1000 mg/kg
Micro-organis	sms in sewage treatment plants (STP)	709 mg/l
Soil		22,5 mg/kg

8.2. Exposure controls





Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Individual protection measures, such as personal protective equipment





according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 7 of 12

Eye/face protection

Use eye protection according to EN 166. Tightly sealed safety glasses.

Hand protection

Wear suitable gloves tested to EN374. Replace when worn.

Suitable material: LDPE (polyethylene) Thickness of glove material: 0,062 mm

penetration time (maximum wearing period): 480 min.

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection. Respiratory protection necessary at: aerosol or mist formation, exceeding exposure limit values.

Thermal hazards

No information available.

Environmental exposure controls

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless
Odour: characteristic
Odour threshold: not determined

Melting point/freezing point:

Boiling point or initial boiling point and

not determined

100 °C

boiling range: Flammability

Solid/liquid: not applicable Gas: not applicable Lower explosion limits: not determined Upper explosion limits: not determined Flash point: > 60 °C Auto-ignition temperature: 225 °C Decomposition temperature: not determined 7 - 10 pH-Value:

Viscosity / kinematic: not determined
Water solubility: completely miscible

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: 23,5 hPa

(at 20 °C)

Vapour pressure: 123,8 hPa

(at 50 °C)

Density (at 20 °C): 1,000 g/cm³





according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 8 of 12

Relative vapour density: not determined Particle characteristics: not applicable

9.2. Other information

Other safety characteristics

No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No information available.

10.4. Conditions to avoid

heat.

UV-radiation/sunlight.

10.5. Incompatible materials

Strong acid. Strong alkali. Oxidising agent.

10.6. Hazardous decomposition products

In case of fire may be liberated: Pyrolysis products, toxic.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) 20080,3 mg/kg

CAS No	o Chemical name							
	Exposure route	Dose		Species	Source	Method		
97489-15-1	Sulfonic acids, C14-17-s	ec-alkane, s	odium salts					
	oral	ATE mg/kg	500					
78-93-3	butanone; ethyl methyl k	etone						
	oral	LD50 mg/kg	4000	Rat	Manufacturer			
	dermal	LD50 mg/kg	6400	Rabbit	Manufacturer			
	inhalation (4 h) vapour	LC50	23,5 mg/l	Rat	Manufacturer			
55965-84-9	reaction mass of 5-chlore	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)						
	oral	LD50	64 mg/kg	Rat	Manufacturer			
	dermal	LD50 mg/kg	87,12	Rabbit	Manufacturer			
	inhalation vapour	ATE	0,5 mg/l					
	inhalation (4 h) dust/mist	LC50	0,33 mg/l	Rat	Manufacturer			



GHZ Matra AG

according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 9 of 12

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Inhalation (long-term): slightly irritant but not relevant for classification.

Sensitising effects

Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Inhalation, oral, Skin contact, Eye contact.

Specific effects in experiment on an animal

Ingredient Alcohol: Causes mild skin irritation. (Rabbit)

11.2. Information on other hazards

Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68515-73-1	CAPRYLYL/CAPRYL GLI	JCOSIDE					
	Acute fish toxicity	LC50	126 mg/l	96 h	Piscis	Manufacturer	
	Acute crustacea toxicity	EC50	151 mg/l	48 h	Crustaceae	Manufacturer	
97489-15-1	9-15-1 Sulfonic acids, C14-17-sec-alkane, sodium salts						
	Acute fish toxicity	LC50	15 mg/l	96 h	Danio rerio (zebrafish)	Manufacturer	
	Acute algae toxicity	ErC50	120 mg/l	72 h	Scenedesmus subspicatus	Manufacturer	
	Acute crustacea toxicity	EC50	10 mg/l		Daphnia magna (Big water flea)	Manufacturer	
78-93-3	butanone; ethyl methyl ke	tone					
	Acute fish toxicity	LC50 mg/l	3220	96 h	Pimephales promelas (fathead minnow)	Manufacturer	
	Acute crustacea toxicity	EC50 mg/l	5091	48 h	Daphnia magna (Big water flea)	Manufacturer	

12.2. Persistence and degradability

The surfactants contained in this mixture comply with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents.



according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 10 of 12

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation	-		
68515-73-1	CAPRYLYL/CAPRYL GLUCOSIDE			
	Biodegradation	100 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			
97489-15-1	Sulfonic acids, C14-17-sec-alkane, sodium salts			
	BOD (% of COD).	78 %	28	Manufacturer
	Readily biodegradable (according to OECD criteria).			
78-93-3	butanone; ethyl methyl ketone			
	Biodegradation	89 %	20	Manufacturer
	Readily biodegradable (according to OECD criteria).			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
68515-73-1	CAPRYLYL/CAPRYL GLUCOSIDE	0,29
78-93-3	butanone; ethyl methyl ketone	0,29

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.





according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 11 of 12

14.3. Transport hazard class(es):14.4. Packing group:No dangerous good in sense of this transport regulation.No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of this transport regulation.14.2. UN proper shipping name:No dangerous good in sense of this transport regulation.14.3. Transport hazard class(es):No dangerous good in sense of this transport regulation.14.4. Packing group:No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2010/75/EU (VOC): 0 %

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to UK REACH Regulation

Captain Green Stone Cleaner

Revision date: 31.10.2022 Page 12 of 12

LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety

assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to GB CLP Regulation

والمراجع المراجع المراجع والمراجع والمر

Classification	Classification procedure
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effect

H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-

2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)